



SG 2355



PRODUCT INFORMATION

- **Operation:** motorised
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black 9005
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- Quiet motors
- Soft stop
- Various control options
- Enclosed headrail
- Fascia included

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



3 m



65 cm



3 m




9 m²



4 kg


B. PROFILE

Profile information




SG 2371

Head box




SG 2372

Tube ø 45 mm




SG 11434

Box cover



SG 2004

Bottom bar 20x7 mm




SG 2006

Bottom bar 28x3 mm




SG 2135

Rod steel ø 3 mm



SG 2137


Rod fiberglass ø 4 mm



SG 2144

Profile ø 8 mm

C. HOW TO MEASURE



A: System width
B: System height

D. SPECIFICATION

TEXT

Silent Gliss SG 2355 Motorised Roman Blind System with battery motor. Roman blind system for medium to large size blind applications 3m wide/3m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434 Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral rechargeable battery motor SG 11926 with USB C charging port positioned [left / right] side. Operation by [Silent Gliss Control N radio handsets and switches / Move4.0 Server/App]. Control components are supplied at additional cost. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].


FITTING

A. FITTING

INFORMATION



Fixing points

For detailed fitting information, visit the Silent Gliss website.




B. CEILING FITTING


Clamp SG 3003



SG 3003
Clamp

Bracket SG 2521






SG 2521

Bracket


C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11204 and bracket SG 2521:

Screw SG 10395 (M4x6) needed.



Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:


Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:

Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80-84
SG 11201 / SG 11211	100-104
SG 11202 / SG 11212	120-124
SG 11203 / SG 11213	140-144
SG 11204 / SG 11214	170-174
SG 11154	134-162
SG 11155	164-192
SG 11156	214-242



SG 2521

Bracket




SG 10395

Pan head screw M4x6




SG 10492

Pan head screw M4x8




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155



Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Bracket SG 2363




SG 2363

Bracket 68 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (Standard)

Loop tape SG 3074:

A: Loop tape SG 3074 / SG 2164


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B

Ring tape SG 2164:

A: Child safety eyelet soft fold SG 3078


B: Ring tape SG 2164

C: Cord SG 2216

D: Child safety hook set SG 3164


E: Hollow hem

F: Bottom bar SG 2004



Type C

- A: Tape SG 2136
- B: Child safety eyelet hard fold SG 3069
- C: Rod SG 2135
- D: Cord SG 2216
- E: Child safety hook set SG 3164



Type D

- A: Child safety eyelet set SG 3161 / SG 3165
- B: Tube SG 2144
- C: Cord SG 2216
- D: Child safety hook set SG 3164
- E: Option: tube SG 2144 / SG 2137 can be installed to room side

MOTORS & CONTROLS

A. MOTOR FEATURES

Motor	SG 11926
Motor Features	
Soft start / stop	●
Built-in receiver	●
Electronic end-stop	●
Electronic revolution counter (unlimited revolution)	●
Motor head white / black / grey	● / - / -
IP class	IP 30
Control Features	
SG Control N (built-in receiver)	●


B. MOTOR SPECIFICATIONS

Motor	Min. system width	Charging	Speed	Frequency receiver
SG 11926	65 cm	USB-C	28 rpm	433 MHz

Battery charging

A: Plug-in USB-C cable

B: Battery fully charged when light is green



C. OPERATING METHODS

See catalogue "controls" for details.

SG Control N











Various radio hand-held and wall transmitters available.







Silent Gliss Move App.









PARTS






















A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord ø 0.85 mm
	SG 2221 Velcro tape
	SG 2371 Head box
	SG 2372 Tube ø 45 mm
	SG 2373 End cover
	SG 2374 End cover
	SG 2375 Tube adapter ø 43 mm
	SG 2376 Shell
	SG 2377 Pin
	SG 2381 Motor plate
	SG 2539 Tape
	SG 3003 Clamp
	SG 3164 Child safety hook set

	SG 10621 Tube adapter
	SG 11185 Pan head screw 2.2x9.5 DIN 7981 C
	SG 11324 PT Screw Countersunk KA35x14
	SG 11356 Motor drive 40/50-Series
	SG 11434 Box cover
	SG 11926 Motor Battery S 2/28

B. OPTIONAL PARTS

	SG 2006 Bottom bar 28x3 mm
	SG 2091 End cover
	SG 2093 Ring
	SG 2135 Rod steel ø 3 mm
	SG 2136 Rod tape
	SG 2137 Rod fiberglass ø 4 mm
	SG 2144 Profile ø 8 mm
	SG 2164 Ring tape
	SG 2363 Bracket 68 mm
	SG 2378 Support
	SG 2379 Sleeve
	SG 2521 Bracket
	SG 3055 Hook
	SG 3069 Child safety eyelet

	SG 3074 Loop tape		SG 11204 Smart Fix 150 mm
	SG 3161 Child safety eyelet set		SG 11210 Square Smart Fix 60 mm
	SG 3165 Child safety eyelet set		SG 11211 Square Smart Fix 80 mm
	SG 3166 Child safety tape set		SG 11212 Square Smart Fix 100 mm
	SG 10149 Pan head screw 2.2x6.5		SG 11213 Square Smart Fix 120 mm
	SG 10395 Pan head screw M4x6		SG 11214 Square Smart Fix 150 mm
	SG 10492 Pan head screw M4x8		SG 11482 Ring
	SG 11154 Universal Smart Fix 120 mm		SG 11900 Move Server
	SG 11155 Universal Smart Fix 150 mm		SG 11931 Radio hand held 1 channel
	SG 11156 Universal Smart Fix 200 mm		SG 11932 Radio hand held 6 channel
	SG 11200 Smart Fix 60 mm		SG 11936 Radio wall transmitter 1 channel
	SG 11201 Smart Fix 80 mm		SG 11937 Radio wall transmitter 6 channel
	SG 11202 Smart Fix 100 mm		SG 11951 Charger USB-C
	SG 11203 Smart Fix 120 mm		

